

Argus 4 Pro

4K Dual-Lens 180° Blindspot-free Wi-Fi 6 Camera

- 180° coverage in 4K
- True full-color night vision in dim lighting
- Dual band Wi-Fi 6
- Battery/solar powered



Specifications

| Video & Audio         |                                                                                                           |
|-----------------------|-----------------------------------------------------------------------------------------------------------|
| Image Sensor          | 1/1.8" CMOS sensor                                                                                        |
| Resolution            | 5120x1440 (8 megapixels) @15fps                                                                           |
| Lens                  | f=4mm , fixed                                                                                             |
| Video Compression     | H.264/H.265                                                                                               |
| Field of View         | Horizontal: 180°<br>Vertical: 50°                                                                         |
| Infrared Night Vision | NO                                                                                                        |
| Color Night Vision    | With spotlights: 5pcs/2W/6500K                                                                            |
| Frame Rate            | Main stream: 10fps - 15fps (default: 15fps)<br>Sub stream: 10fps - 15fps (default: 15fps)                 |
| Code Rate             | Main stream: 1024Kbps - 4096Kbps (default: 2048Kbps)<br>Sub stream: 256Kbps - 1024Kbps (default: 512Kbps) |
| Audio                 | Two-way audio                                                                                             |
| Power                 |                                                                                                           |
| Battery               |                                                                                                           |

|                           |                                                                                            |
|---------------------------|--------------------------------------------------------------------------------------------|
|                           | 5000mAh rechargeable battery (Battery life varies based on settings, usage & temperature.) |
| Solar                     | Reolink Solar Panel 2 (6W)                                                                 |
| <b>Bluetooth Standard</b> |                                                                                            |
| Bluetooth Standard        | Bluetooth V5.0                                                                             |
| <b>Interface</b>          |                                                                                            |
| Power Port                | USB Type-C port                                                                            |
| SD Card Slot              | Supports Max. 512GB microSD card                                                           |
| Reset Button              | YES                                                                                        |
| Audio In/Out              | Built-in microphone and speaker                                                            |
| <b>Wi-Fi</b>              |                                                                                            |
| Wireless Standard         | IEEE 802.11 a/b/g/n/ac/ax                                                                  |
| Operating Frequency       | 2.4GHz/5GHz                                                                                |
| Wireless Security         | WPA/WPA2/WPA3                                                                              |
| <b>Software</b>           |                                                                                            |
| OS Supported              | PC: Windows, Mac OS; Smartphone: iOS, Android                                              |
| Protocols & Standards     | SSL, TCP/IP, UDP, UPNP, SMTP, NTP, P2P, FTP                                                |
| User Access               | Max. 12 simultaneous streams (2 main & 10 sub streams)                                     |
| <b>Other Features</b>     |                                                                                            |
| Smart Alarm               | PIR detection; motion detection; person detection; vehicle detection; animal detection     |
| PIR Detecting Distance    | Adjustable, up to 10m (33ft)                                                               |
| PIR Detecting Angle       | 170° horizontal                                                                            |
| Recording Modes           | Triggered recording                                                                        |
| Time Lapse                | YES                                                                                        |
| Smart Home Compatibility  | Google Assistant, Alexa                                                                    |
|                           | YES                                                                                        |

|                            |                                                                                                                                         |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Home Hub Compatibility     |                                                                                                                                         |
| Cloud Storage              | Supports Reolink Cloud (available in selected countries)                                                                                |
| <b>Working Environment</b> |                                                                                                                                         |
| Operating Temperature      | -10°C~55°C (14°F~131°F)                                                                                                                 |
| Operating Humidity         | 20% ~ 85%                                                                                                                               |
| Weatherproof               | IP66                                                                                                                                    |
| <b>Mechanical</b>          |                                                                                                                                         |
| Dimensions                 | 128*87*80mm                                                                                                                             |
| Weight                     | 400g                                                                                                                                    |
| <b>Warranty</b>            |                                                                                                                                         |
| Limited Warranty           | 2-year limited warranty. For support, visit <a href="https://support.reolink.com/hc/en-us/">https://support.reolink.com/hc/en-us/</a> . |

## Gallery & Specs



1. F/1.0 - 4mm Lens
2. Spotlight
3. CDS
4. Spotlight
5. Microphone
6. PIR sensor



1. Loudspeakers
2. USB-C connection
3. Reset button
4. MicroSD slot



[www.reolink.com](http://www.reolink.com)