

Reolink Go PT S Lite

2K 4MP Wireless 4G LTE Security Camera with Built-In SIM Card

- 355° Pan & 140° Tilt with Auto Tracking
- Built-In SIM Card
- Battery/Solar Powered
- Person/Vehicle/Animal Detection

Specifications

Video & Audio	
Image Sensor	1/3", 2um
Resolution	2560*1440 (4 megapixels) @15fps
Lens	f=2.8mm, F1.6, IR-cut
Video Compression	H.264/H.265
Field of View	Diagonal: 112° Horizontal: 95° Vertical: 51.5°
Infrared Night Vision	10m (33 ft) (LED: 2pcs/1.2W/850nm)
Day & Night	Auto-switching with IR-cut filter
Color Night Vision	2pcs/2.4W/6500K
Frame Rate	10fps-15fps (default: 15fps)
Code Rate	Mainstream: 1024Kbps-4096Kbps (default: 2048Kbps) Substream: 64Kbps - 672Kbps (default: 672Kbps)
Audio	Two-way audio
Power	

Battery	DC: 5V/2A, 3.6V 6000mAh (battery capacity), rechargeable battery: 21.24Wh (power capacity)
Interface	
Power Port	USB Type-C port
SD Card Slot	Supports Max. 512GB microSD card
Reset Button	Yes
Audio In/Out	Built-in microphone and speaker
Pan & Tilt	
PT Angle(Max.)	Pan: 355°, Tilt: 140°
Preset Points	Supports 1 guard position & up to 64 preset positions
Auto Tracking	Yes
3G/4G	
LTE Module	- America: SIM7670G LTE FDD: B1/B2/B3/B4/B5/B7/B8/B12/B13/B18/B19/B20/B25/B26/B28/B66/B71# LTE TDD: B34/B38/B39/B40/B41 - Australia/Europe: EG800K-EU LTE FDD: B1/B3/B5/B7/B8/B20/B28
Software	
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Protocols & Standards	SSL, TCP/IP, UDP, UPNP, SMTP, P2P
User Access	Max. 12 simultaneous streams (2 main & 10 sub streams)
Other Features	
Smart Alarm	PIR detection; motion detection; person detection; vehicle detection; animal detection
PIR Detecting Distance	up to 10m (33ft)
PIR Detecting Angle	120° horizontal
Recording Modes	Motion Recording
Time Lapse	Yes
	Alexa, Google Assistant, Reolink Cloud

Smart Home Compatibility	
Cloud Storage	Supports Reolink Cloud (available in selected countries)
Working Environment	
Operating Temperature	-10°C~55°C (14°F~131°F)
Operating Humidity	20% ~ 85%
Mechanical	
Dimensions	Ø98*122mm
Weight	485g
Warranty	
Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/ .

Gallery & Specs



- 1. Speaker
- 2. Lens
- 3. Daylight Sensor
- 4. Status LED
- 5. IR LEDs
- 6. Spotlights
- 7. PIR Motion Sensor
- 8. Mic
- 9. Type-C Port
- 10. Power Button



1. Antenna
2. Mounting Bracket
3. Slot Cover
4. microSD Card Slot

www.reolink.com